

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - PRODUCT INFORMATION

Name: REMOVE  
Subtitle: GEL BASE PAINT REMOVER  
Supplier's Name: Banner Labs, Inc.

Chemical Family: N/A  
Formula: N/A  
Phone Number: (713) 896-8778

### NPCA Hazardous Materials Identification System

Health	1
Flammability	0
Reactivity	1
Maximum Personal Protection	B

Supplier's Address: 11875 W Little York, 202,77041

Proper Shipping Name: CONSUMER PRODUCT, ORM-D

Hazard Class: CONSUMER COMMODITY

## SECTION 2 - INGREDIENTS

NAME	CAS#	Wt%	PEL	TWA-TLV	STE-TLV	CARCINOGEN
Butane, Isobutane, Propane	68476-85-7		1000 PPM	1000 PPM	1000 PPM	No
Methanol	67-56-1	5 to 10	200 ppm	200 ppm	250 ppm	No
Dichloromethane	75-09-2	to 100	25 ppm	25 ppm	125 ppm	Yes

NO OTHER HAZARDOUS INGREDIENTS ARE CONTAINED IN THIS PRODUCT

## SECTION 3 - PHYSICAL DATA

Boiling Range: 104 F  
Vapor Pressure: 100  
% Volatile: 96  
Solubility: 50%  
Physical Description: Clear liquid with chlorinated odor

Specific Gravity: 1.19  
Vapor Density: >1  
pH: N/A  
Evaporation Rate: >1

## SECTION 5 - REACTIVITY DATA

Stability: Stable  
Hazardous Polymerization: Will not occur  
Incompatibility (Materials to Avoid): Some plastics  
Hazardous Decomposition Products: Phosgene, chlorine, HCL

## SECTION 4 - FIRE AND EXPLOSION DATA

Flash Point (Method Used TCC): None  
Upper Explosive Limit: N/A  
Lower Explosive Limit: N/A  
Extinguishing Media: N/A  
Special Fire Fighting Procedures: N/A  
Unusual Fire & Explosion Hazards: Contents under pressure

## SECTION 6 - STORAGE AND HANDLING INFORMATION

Precautions to be taken in Handling & Storage:  
Keep out of reach of children. Keep container stored away from temperatures above 120 F. For institutional and industrial use only.

## SECTION 7 - HEALTH HAZARDS

### EFFECTS OF OVEREXPOSURE

#### Primary Route of Entry:

**Skin:**  
Defatting to the skin. Prolonged or repeated exposure can cause irritation and dermatitis.

**Eyes:**  
Severe eye irritant. May cause redness, tearing and blurred vision.

**Inhalation:**  
Can cause respiratory irritation, dizziness, or give anesthetic or narcotic effects. Excessive exposure may cause drowsiness, dizziness and loss of coordination.

**Ingestion:**  
Causes gastrointestinal irritation, nausea, vomiting, diarrhea, possible blindness and damage to mucous membranes. May be rapidly absorbed through the lungs.

### FIRST AID PROCEDURES

**Skin:**  
Remove contaminated clothing and shoes. Wash exposed areas with soap and water. Seek medical attention if irritation persists.

**Eyes:**  
Flush eyes with water for 15 minutes, holding eyelids open. Get medical attention if irritation persists.

**Inhalation:**  
Get to fresh air. If breathing is difficult, give oxygen. If breathing has stopped give artificial respiration. Seek medical attention immediately.

**Ingestion:**  
Do not induce vomiting. Give two glasses of water and seek medical attention immediately.

## SECTION 8 - SPECIAL PROTECTION INFORMATION

**Respiratory Information:** Use in a well ventilated area.  
**Protective Gloves:** Solvent proof  
**Other Protective:** N/A

**Ventilation:** Provide local exhaust to keep TLV of Section 2 ingredients below acceptable limit.  
**Eye Protection:** Safety glasses

## SECTION 9 - SPILL OR LEAK PROCEDURE

**Steps to be taken in case Material is Released or Spilled:**  
Mop up or otherwise absorb and hold for disposal.

**Waste Disposal Method:**  
Any method in accordance with local applicable law

Prepared According to 29 CFR 1910.1200

Product#: 1741

Revised: November 25, 2014