

# Safety Data Sheet

Citri-Kleen

## SECTION I - IDENTIFICATION

**BANNER LABS, INC.**

Banner Labs, Inc.  
11875 W Little York,  
Suite 202  
Houston, TX, 77041  
Chemtrec :..... (800) 424-9300

**Product Number** KS40046  
**Product Name** Citri-Kleen  
**Synonyms**  
**CAS Number** 5989-275  
**Date Prepared** 8/31/2015  
**Revision Number** 4/21/2020  
**Recommended Use** Industrial Use Only

## SECTION II - HAZARDOUS IDENTIFICATION

### GHS CLASSIFICATION:

#### Classification

Flammable Liquids	Category 3
Aspiration Hazard	Category 1
Skin Corrosion/Irritation	Category 2
Sensitization, Skin	Category 1
Hazardous to the aquatic environment, long-term hazard	Category 1

### DANGER!

#### GHS LABEL:



#### Hazard Statements

H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H410	Very toxic to aquatic life with long lasting effects

# Safety Data Sheet

## Citri-Kleen

### Precautionary Statements

P210	Keep away from heat, hot surfaces, sparks, open flames, and other ignition, sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/light.../ equipment, etc.
P242	Use only non-sparking tools.
P243	Take precautionary measures to prevent static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash... thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+352	IF ON SKIN: Wash with plenty of water/...
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water or shower.
P321	Specific treatment (see ... on this label).
P331	Do NOT induce vomiting.
P332+313	If skin irritation occurs: get medical advice/attention.
P333+313	If skin irritation or a rash occurs: Get medical advice/attention.
P362+364	Take off immediately all contaminated clothing and wash it before reuse.
P370+378	In case of fire: Use(See Section 5 of SDS) to extinguish.
P391	Collect spillage.
P403+235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to: local/regional/national/international regulations.

### **SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS**

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Terpene Hydrocarbon	5989-275	100	Not Established	Not Established

# Safety Data Sheet

Citri-Kleen

## SECTION IV - FIRST AID MEASURES

**Contact with eyes:** Wash immediately and continuously with flowing water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**Skin contact:** Wash off skin thoroughly with water. Remove contaminated clothing and wash before re-use.

**Inhalation:** Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

**Ingestion:** If swallowed. Wash out mouth thoroughly with water and give plenty of water to drink.

## SECTION V - FIREFIGHTING MEASURES

**Suitable Extinguishing Media:** Carbon Dioxide, dry-chemical or universal type spray foam.

**Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

**Unusual Fire Fighting Hazards:** Product is flammable and may be ignited by heat, sparks, flames or other sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical equipment). Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distance to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can explode in the heat of a fire.

## SECTION VI - ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Keep all sources of ignition and hot metal surfaces away from spill or release.  
Any/all persons dealing with the spill should wear appropriate personal protective equipment. Keep others away from spill/leak. Restrict access to area until the spill has been cleaned up.

**Environmental Precautions:** Prevent liquid from entering drains, sewers or waterways.  
Notify proper authorities. Reportable Quantity is 1,000 pounds or 13.8 gallons.

**Methods for Cleaning Up:** Use proper personal protective equipment. Isolate and secure the area and follow the appropriate emergency guidelines. If local high concentration of airborne mist occurs, dilute spill with plenty of water and ventilate to disperse mist laden air. Sweep up spill and reclaim or place in a covered waste disposal container. Report spill to proper authorities  
Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

# Safety Data Sheet

Citri-Kleen

## SECTION VII - HANDLING AND STORAGE

- Handling and Storage:**
- Obtain special instructions before use. Wear proper personal protective equipment. Use only in well ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks, and open flame.
  - Store in cool, dry, ventilated area away from any heat source. Storage area should be clearly identified and free of obstruction. Keep containers tightly closed and in an upright position when not in use.
  - Bond and ground all equipment when transferring from one vessel to another. The use of explosion-proof equipment is recommended.
  - "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
  - Keep containers tightly closed in a dry and well-ventilated place.

## SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

### EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Terpene Hydrocarbon	5989-275	Not Established	Not Established

**Engineering Controls:** Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

**Monitoring:** Follow accepted work practices for handling a flammable material.  
Do not eat, drink or smoke in areas where this chemical is used or stored.  
Wash hands prior to eating, drinking or using the restroom.  
Have eye wash stations and safety showers readily available.

### Personal Protective Equipment (PPE)

**Eye Protection:** Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.  
Wear safety glasses with side shields (or goggles) and a face shield.

**Skin Protection:** Wear safety glasses with un-perforated side shields.  
Impervious apron and work boots recommend where splashing may occur.

**Respiratory Protection:** Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

## Safety Data Sheet

### Citri-Kleen

<b>Appearance</b>	Clear, Colorless to Pale Yellow Liquid
<b>Odor</b>	Characteristic Orange Aroma
<b>pH@25°C</b>	-
<b>Melting/Freezing Point</b>	-
<b>Flashpoint</b>	>109°F, >43°C TCC
<b>Specific Gravity</b>	0.84
<b>Solubility</b>	Negligible
<b>Auto-Ignition Temperature</b>	237°C, 459°F
<b>Decomposition Temperature</b>	-
<b>VOC Content</b>	100% (6.25/gal)
<b>Odor Threshold</b>	N/A
<b>Boiling Range</b>	231°F
<b>Evaporation Point</b>	0.2 (Butyl Acetate=1)
<b>Flammable Limits - Upper</b>	6.1%
<b>Flammable Limits - Lower</b>	0.7%
<b>Vapor Pressure</b>	<2 mmHg @ 20°C
<b>Vapor Density (Air=1)</b>	4.7 (Air=1)
<b>Viscosity</b>	-

#### SECTION X - STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to Avoid:** Extreme heat , flame, sparks and other ignition sources.

**Hazardous Decomposition/Byproducts:** Thermal decomposition may yield oxides of carbon. CO, CO<sub>2</sub>, and various hydrocarbons under combustion conditions.

**Hazardous Polymerization:** Will not occur.

**Polymerization Conditions to Avoid:** None known.

**Incompatibilities:** Oxidizing liquids & solids.

# Safety Data Sheet

Citri-Kleen

## SECTION XI - TOXICOLOGICAL INFORMATION

**Likely Route of Exposure:** Routes of entry: inhalation, skin & eyes, ingestion, skin absorption

**Inhalation:** May be irritating to mucous membranes and respiratory tract

**Eye Contact:** Causes eye irritation including stinging, watering and redness which may result in corneal injury.

**Skin Contact:** Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin.  
redness, itching or swelling

**Ingestion:** Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.

**Acute Toxicity Value:** See Health Hazards below.

**Chronic (Long Term) Effects:** See Health Hazards above.

### Toxicity:

Component Name	LD50	LC50
Terpene Hydrocarbon	Not Established	Not Established

**Reproductive Effects** Not Applicable

**Teratogenicity** Not Applicable

**Mutagenicity** Not Applicable

**Embryotoxicity** Not Applicable

**Sensitization to Product** Not Applicable

**Synergistic Products** Not Applicable

**Carcinogenicity** Not Listed as a Carcinogen

## SECTION XII - ECOLOGICAL INFORMATION

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

# Safety Data Sheet

Citri-Kleen

**Degradability:** No data available.

**BioAccumulation:** No data available.

## SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, State and Local Regulations. RCRA waste number U220 if uncontaminated.

## SECTION XIV - TRANSPORT INFORMATION

### DOT SHIPPING INFORMATION

**Proper Shipping Name:** Terpene Hydrocarbons, N.O.S.

**Contains:** d-Limonene

**Hazard Class and Label:** 3

**Identification Number:** UN 2319

**Packaging Group:** III

**Other Shipping Info:**

## SECTION XV - REGULATORY INFORMATION

**TSCA STATUS:**..... The components of this product are listed on the TSCA Inventory

### SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

### SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
X	N/A	X	N/A	N/A

### SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

### CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

### CALIFORNIA PROPOSITION 65:

# Safety Data Sheet

Citri-Kleen

No chemicals in this material are subject to the reporting requirements.

## SECTION XVI - OTHER INFORMATION

**HMIS Health:** ..... 1

**HMIS Flammability:** ..... 2

**HMIS Reactivity:** ..... 0

**Additional:**

### Specification Information

**Department issuing data sheet:** Compliance Department

**Email address:** plant@ksolv.com

**Training necessary:** Training is required per the Occupational Safety and Health Administration (OSHA) Hazard Communication 29 CFR 1910.1200.

### Disclaimer:

\*\*HMIS rating involve data and interpretations that vary from company to company. They are intended only for rapid identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this product, all the information contained in this SD must be considered.

Disclaimer: The information contained herein is based upon data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Ksolv, Inc. assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by this material. Such vendees, users, or third parties assume all risks associated with use of this product.