
HENGDAMEI

Product Catalogue

Professional factory of silicone sealant.

Products have passed ISO9001 Quality Management System Certification.

Company has passed the National High-tech Enterprise certification.





CONTENTS

目 录

01 Company profile
企业简介

02 Product introduction
产品介绍

03 Contact us
联系我们



01

COMPANY PROFILE

We are the professional factory of
R&d and production for sealant.

Hengdamei Adheisve

COMPANY PROFILE

Foshan Hengdamei New Materials Technology Co., Ltd. is a professional manufacturer specializing in high-quality silicone sealants. Main production medium to high quality neutral silicone sealant, insulating glass sealant. We have advanced R&D technologies and production equipment,the annual production and sales volume is nearly ten thousand tons. Our products have passed ISO9001 quality management system certification, all performance indicators of the product exceed the national industry standards.



ISO9001 Quality Management System Certification



National High-tech Enterprise



China friendly-eco products



Corporate credit rating AAAA credit enterprise



AAA level enterprise that value service and keep promises

Hengdamei Adhesive

COMPANY PROFILE

Production process:
High-precision equipment,
Static pipelines,
Three-roll mills.

High quality raw materials:
calcium powder from top brands,
New material 107 silicone, imported fumed silica material, color pastes with high purity, imported additives.

High-temperature dehydration disperse mixer:
Several sets of 5000L mixers are used simultaneously to ensure the quality and output.









Hengdamei Adhesive

COMPANY PROFILE





Packing area

The strong storage capability ensures sustained productivity.

Static pipelines

Semi-automatic production line, Isolate the air during the production, reduce the production of impurities and bubbles, and greatly improve production efficiency.

02

PRODUCT INTRODUCTION

We are the professional factory of
R&d and production for sealant.

Product introduction

Hengdamei Adhesive

K-888 Quick-drying neutral structural silicone sealant

Independently-developed characteristic product, the perfect tool to occupy the market!

Warrnty period: 20years **Color:** black, white

Features: The product a faster curing speed compared to standard neutral sealants It's one component, neutral silicone, free of mineral oil, cures on contact with moisture in the air.

With excellent structural strength, can meet a various of materials. Additionally, it offers weather resistance and maintains its integrity within a temperature range of -30°C to 200°C.

Packaging: Plastic bottle packaging 300ml×24,
aluminum film packaging 590ml×20

The best choice for adhesives in winter!

Even if used indoors at around 0°C, surface dry only 5-8 minutes.



Usage scenario

Hengdamei Adhesive

01

Aluminum material: windows and doors, aluminum-plastic panel.



02

Bonding fot the electronics.



03

Sealing for the insulating glass.



04

Solar photovoltaic.



Product introduction

Hengdamei Adhesive

K-998 Advanced Structural Sealant for Curtain Walls

Warrnty period: 40years **Color:** black

Features: It's one component, neutral silicone, free of mineral oil, cures on contact with moisture in the air. It has high-concentration of 107, superior adhesion to a variety of materials, non-corrosive. It has excellent weather resistance and aging resistance, and still maintain good performance in the temperature range of -30℃-300℃.

Packaging: Plastic bottle packaging 300ml×24,
aluminum film packaging 590ml×20



Usage: Dry-hanging rock boards and stone materials.



Usage: Large glass curtain walls.



Product introduction

Hengdamei Adhesive

K-886 Neutral Structural Silicone Sealant for Curtain Walls

Warrnty period: 30 years

Color: black, white

Features: It's one component, neutral silicone, free of mineral oil, cures on contact with moisture in the air. Good adhesion to a variety of materials. It has excellent weather resistance and aging resistance, and still maintain good performance in the temperature range of -30℃-200℃.

Packaging: Plastic bottle packaging 300ml×24,
aluminum film packaging 590ml×20



Usage: Sunroom, outdoor engineering project gap filling and sealing.



Usage: Small curtain wall, exterior wall gap filling and bonding.



Product introduction


Hengdamei Adhesive

K-995 General Purpose Silicone Structural Sealant

Warrnty period: 20 years **Color:** black, white, gray(customizable)

Features: It's one component, neutral silicone, free of mineral oil. cures on contact with moisture in the air. Good adhesion to a variety of materials. It has excellent weather resistance and aging resistance, and still maintain good performance in the temperature range of -30℃-150℃.

Packaging: Plastic bottle packaging 300ml×24, aluminum film packaging 590ml×20



Usage: Installation of glass canopy.



Usage: Aluminum single panel, aluminum-plastic panel



Product introduction


Hengdamei Adhesive

K-793 High-performance Structural Sealant

Warrnty period: 15 years **Color:** black, white, gray(customizable)

Features: It's one component, neutral silicone, cures on contact with moisture in the air. Good adhesion to a variety of materials. It has excellent weather resistance and aging resistance, and still maintain good performance in the temperature range of -30℃-100℃

Packaging: Plastic bottle packaging 300ml×24,
aluminum film packaging 590ml×20



Usage: Sealing and curing of exterior framing of windows.



Usage: Sealing and curing of exterior framing of doors.



Product introduction


Hengdamei Adhesive

K-666 Neutral Silicone Sealant

Warrnty period: 10 years **Color:** black, white, gray(customizable)

Features: It's one component, neutral silicone, cures on contact with moisture in the air. Good structural strength. Suitable used for interior decoration, with high cost performance.

Packaging: Plastic bottle packaging 300ml×24,
aluminum film packaging 590ml×20



Usage: Skirting boards, stainless steel and etc.



Usage: Carbon crystal board, wall panel, wardrobe and etc.



Product introduction

Hengdamei Adhesive

T800 Neutral silicone translucent structural sealant

Warrnty period: 30 years **Color:** clear(translucent)

Features: It's one component, neutral silicone, cures on contact with moisture in the air and is free from mineral oil. Mildewproof and waterproof, no cracking, good resilience. It has excellent weather resistance and aging resistance.

Packaging: Plastic bottle packaging 300ml×24,


Aluminum film packaging 590ml×20



Usage: Sealing and gap-filling of kitchen and bathroom ceramic tiles.



Usage: Sealing and bonding of the glass.



Product introduction


Hengdamei Adhesive

DM6680 Two-component Insulating Glass Silicone Sealant

Warrnty period: 30 years **Color:** black

Features: Two-component, neutral silicone, free of mineral oil. When component A and component B are mixed, they solidify rapidly. Cures in three hours with good sealing performance. It has excellent weather resistance and aging resistance, and still maintain good performance in the temperature range of -30℃-150℃.

Packaging: component A 190L, component B 20L



Usage: Insulating glass assembly



Usage: Insulating glass sealing



Product introduction

Hengdamei Adhesive

DM6680 Two-component Insulating Glass Silicone Sealant

Warrnty period: 30 years **Color:** black

Features: Two-component, neutral silicone, free of mineral oil. When component A and component B are mixed, they solidify rapidly. Cures in three hours with good sealing performance. It has excellent weather resistance and aging resistance, and still maintain good performance in the temperature range of -30℃-150℃.

Packaging: Component A 20L, component B 1.5L



Usage: Insulating glass assembly



Usage: Insulating glass sealing



Product introduction

Hengdamei Adhesive

GP-General Purpose Silicone Sealant

Warrnty period: 25 years **Color:** black, clear, white

Features: It's one component, acid silicone, cures on contact with moisture in the air and is free of mineral oil. Faster curing speed than standard neutral sealants. With excellent structural strength, can meet a various of materials, non-corrosive.

Packaging: Plastic bottle packaging 300ml ×24

Usage: Indoor bonding, gap filling and sealing.



Usage: Outdoor bonding, gap filling and sealing.





Product introduction

Hengdamei Adhesive

MS-Transparent Crystal Sealant

Warrnty period: 30 years **Color:** clear(HD-transparent)

Features: It's one component, made by epoxy resin, featuring environmentally friendly materials. It has good adhesion and a high weather resistance rating, capable of withstanding an ambient temperature range from -30℃ to 100℃. Mildew proof and waterproof, doesn't turn yellow.

Packaging: Plastic bottle packaging 300ml ×24



Usage: Glasswork installation .



Usage: Interior panel installation.



Product introduction

Hengdamei Adhesive

MS-Modified Silane Polyether Sealant

Warrnty period: 5 years **Color:**black,white

Features: Modified polyether adhesive, one component, environmentally friendly, waterproof, widely applicable to the interior decoration field. It has strong adhesion to most substrates.

Packaging: Plastic bottle packaging 300ml ×24



Usage: Carbon crystal board, wall panel



Usage: Kitchen and bathroom decoration



Product introduction

Hengdamei Adhesive

KA518 Polyurethane Automotive Windshield Adhesive

Features: It’ s one component moisture curing polyurethane automotive windshield adhesive. It has excellent bonding and sealing performance, and it is simple operation, good antisagging, fast curing,modest hardness after curing, excellentwater and aging resistant, etc.

Packaging: bottle packaging 310ml × 12/20/24

aluminum film packaging 400ml/600ml × 20 barrel: 200L/250kgs



Usage: windshield and side& back window glass bonding



Usage: windshield and side& back window glass bonding



Product introduction

Hengdamei Adhesive

KA540 Automobile Sheet Metal Adhesive

Features: It's one component moisture curing high modulus polyurethane metal adhesive. It has excellent caulking and multi-functional bonding, excellent thixotropy, easy for application,excellent sealing with metal, glass and can be polished and painted.

Packaging: bottle packaging 310ml×12/20/24

aluminum film packaging 400ml/600ml×20 barrel: 200L/250kgs



Usage: sealing of body skin and aluminum gusset.



Usage: sticking edge of door, trunk, front cover); welding seal of body.



Product introduction

Hengdamei Adhesive

KA340A Construction Sealant

Features: It's one-component, moisture curable polyurethane sealant. Good sealing and flexible performance. No corrosion and pollution to base material and environment-friendly. Pricking resistance, easy for repairing. Good bonding performance with cement and stone. Low modulus, good anti-water pressure performance.

Packaging: bottle packaging 310ml × 12/20/24

aluminum film packaging 400ml/600ml × 20 barrel: 200L/250kgs



Usage: Sealing joints and interior walls of underground tunnels, bridge tunnels, etc.



Usage: Sealing joints of drainage pipes, sewage pipes, epoxyfloors, concrete.



Product introduction

Hengdamei Adhesive

Stick Quickly Nail-free Adhesive(strong viscosity)

Shelf life: 12 months **Color:** white

Features: It's one component, resinous material. Fast curing, can keep good adhesion to a variety of materials. It has good weather resistance, still maintain good performance in the temperature range of -20℃-100℃.

Packaging: Plastic bottle packaging 310ml ×24



Usage: Building operations



Usage: Advertisement installation



Product introduction

Hengdamei Adhesive

Stick Quickly Nail-free Adhesive

Shelf life: 12 months **Color:** white

Features: It's one component, resinous material. Fast curing, can keep good adhesion to a variety of materials. It has good weather resistance, still maintain good performance in the temperature range of -20℃-100℃.

Packaging: Plastic bottle packaging 310ml ×24



Usage: Building operations



Usage: Advertisement installation



Product introduction

Hengdamei Adhesive

Transparent Nail-free Adhesive(strong viscosity)

Shelf life: 12 months **Color:** clear

Features: It's one component, resinous material. Fast curing, can keep good adhesion to a variety of materials. It has good weather resistance, still maintain good performance in the temperature range of -20℃-100℃.


Packaging: Plastic bottle packaging 310ml ×24



Usage: Glasswork installation



Usage: Interior panel installation.



Product introduction

Hengdamei Adhesive

Transparent Nail-free Adhesive

Shelf life: 12 months **Color:** clear

Features: It's one component, resinous material. Fast curing, can keep good adhesion to a variety of materials. It has good weather resistance, still maintain good performance in the temperature range of -20℃-100℃.


Packaging: Plastic bottle packaging 310ml ×24



Usage: Glasswork installation



Usage: Interior panel installation.



Product introduction

Hengdamei Adhesive

Nail-free Adhesive

Shelf life: 10 months **Color:** off-white

Features: It's one component, resinous material. Fast curing, can keep good adhesion to a variety of materials. It has good weather resistance, still maintain good performance in the temperature range of -20℃-100℃.

Packaging: Plastic bottle packaging 310ml ×24



Usage: Building operations



Usage: Advertisement installation



Product introduction

Hengdamei Adhesive

Polyurethane Foam Sealant

Shelf life: 12 months **Color:** off-white

Product Description: It is a one-component, moisture-curing multi-purpose polyurethane foam-filled elastic sealing material. It has a flame-retardant effect, can firmly adhere to the surfaces of most common materials, and has a wide range of applications.

Packaging: 750ml×15



Usage: Door and window installation gap filling



Usage: Any openings gap filling



Product introduction

Hengdamei Adhesive



Three-bearing adhesive gun for aluminum film packaging




Adhesive gun without bearing for aluminum film packaging



Three-bearing adhesive gun for plastic bottle packaging



Adhesive gun without bearing for plastic bottle packaging



03

Contact us

We are the professional factory of R&d and production for sealant.

Contact us

Hengdamei Adhesive



Foshan Hengdamei doors and windows material Co., Ltd

Welcome friends from everywhere to visit our factory and cooperate.

Factory address

No.8-8, Heng yi Road, He shun feng yong xia xi Industrial Zone, Lishui Town, Nanhai District, Foshan, China.

E-mail

1633481138@qq.com

Social media

Wechat: +86 173 2800 9158

WhatsApp: +86 173 2800 9158

FB&TikTok&Ins: Hengdamei Adhesive